

DIABETES AND DEDICATION: SUCCEEDING WITH SPORTS & EXERCISE

JUDE RESTIS, LUCY AND JIM TEICHMAN, AND MIKE BOYLE

PEAK

- PEAK = Performance in Exercise and Knowledge. First evidence-based guidelines for exercise and T1D.
- Funded by Novo Nordisk
- PEAK developed by 21 international experts in medicine, physiology, diabetes research, nutrition, and coaching
- PEAK guidelines are *starting points* for nutritional and insulin dose adjustments to keep in targeted blood glucose ranges. They should be tailored to the individual, based on experience and healthcare team recommendations

The JDRF PEAK guidelines are not medical advice. Please consult with your healthcare provider before making any changes

BE ON THE MOVE

Exercise is amazing medicine

Long-term concern	Exercise effect
Heart disease	Collateral circulation Reduces risk of atherosclerosis
Elevated blood lipids	Improves cholesterol levels
High blood pressure	Reduces diastolic blood pressure
Obesity	Calorie burning Increases metabolism Appetite suppression



BE ON THE MOVE

Exercise is amazing medicine

Short-term concern	Exercise effect
Stress	Tension release More restful sleep
Depression	Sense of control, pride
Pain	Endorphin production



BE ON THE MOVE


Exercise is amazing medicine

Glucose control	Exercise effect
Insulin resistance	Increases insulin sensitivity Increases glucose uptake by muscles
Post meal highs	Slows carbohydrate absorption Increases glucose utilization Accelerated insulin action




EXERCISE AND BLOOD GLUCOSE CONTROL

Consistent physical activity produces consistent insulin sensitivity



EXERCISE AND BLOOD GLUCOSE CONTROL

Post-meal benefits of physical activity



EXERCISE AND BLOOD GLUCOSE CONTROL

Glucose levels during sport impact performance in many ways

- Strength
- Stamina
- Speed/agility
- Flexibility
- Safety
- Mental sharpness



CASE #1 – BLOOD GLUCOSE CONTROL BEFORE EXERCISE

Types of exercise

Weightlifting, Tag
Sprinting, Diving, Swimming, Gymnastics,
Wrestling, Dodge ball, Volleyball, Ice hockey, Track cycling

Basketball, Football, Tennis, Lacrosse
Skating
Skiing (slalom & downhill), Field hockey
Rowing (middle distance)
Running (middle distance)

In-line skating
Cross country skiing
Brisk Walking
Jogging
Cycling

Hyperglycemia

ANAEROBIC
Short duration
High-intensity

AEROBIC
Longer duration
Lower Intensity

Hypoglycemia

TIPS FOR EXERCISING SAFELY

Checklist for safe exercise practices

Item	Individual <u>with</u> Type 1 diabetes	Individual <u>without</u> Type 1 diabetes
Carbohydrate supplements (drinks and snacks)	✓	✓
Mobile phone (if exercising alone)	✓	✓
Water or electrolyte (calorie free) sports drinks to maintain hydration	✓	✓
Appropriate footwear and clothing for the specific exercise	✓	✓
Suitable hypoglycemia treatment	✓	✗
Medical card and/or bracelet/necklace	✓	✗
Glucose monitoring system	✓	✗

Factors to consider when exercising

1	Type of exercise
2	Duration and intensity of exercise
3	Timing of exercise in relation to time of meals
4	Insulin on board
5	Starting blood glucose

DON'T FLOOD THE ENGINE

Factors that affect blood glucose during exercise

- Active insulin
- Infusion site
- Food consumed
- Time of day
- Emotional state
- Temperature and humidity
- Amount of prior activity
- Size and number of muscles involved
- Duration
- Intensity
- Familiarity with activity (training effect)

There are A LOT of variables!!!

BLOOD GLUCOSE CONTROL DURING EXERCISE

Three ways to manage drop in blood glucose

1	Take Carbs
2	Reduce Insulin
3	Adapt Exercise Regime

BLOOD GLUCOSE CONTROL IMMEDIATELY AFTER EXERCISE

Two options:

1

Exercise-cool down period

2

Bolus Insulin-50% of normal correction to start

FLUID AND HYDRATION

Fluid Management is Essential



- Important for athletes with diabetes
 - Always carry a bottle of water
 - Increase fluid intake if BG levels are high to help lower BG
- Useful to have some idea of sweat loss to maintain sodium/electrolyte levels
- Aim for ~10% carbohydrate solution


FLUID AND HYDRATION

Milk as a Recovery Fluid

- Increased body of evidence of benefits of milk consumption post exercise for muscle protein synthesis, glycogen repletion and hydration
- One early study in type one diabetes demonstrated that whole milk post exercise was more effective than carbohydrate drinks at maintaining post exercise blood glucose and preventing hypoglycemia




Algorithm for managing Type 1 Diabetes with exercise



BG=blood glucose; hypo=hypoglycemia; Carb=carbohydrate

“I have not failed. I’ve just found
10,000 ways that won’t work”

Thomas Edison (1847-1931)



Get your motor runnin'...

- Physical activity **IS** important
- Exercise affects glucose control, glucose control affects exercise
- Consider the big blood glucose picture
- Strategize to avoid lows
- Strategize to avoid highs

